



# LEED Project Information

---

Date: May 11, 2010

Customer: Masonpro

## Series 620 Phylon 1422

### LEED EQ 4.2 Credit Conformance for the following Rating Systems:

- LEED NC v2.2
- LEED NC v3.0

### Category Requirements per LEED NC Credit EQ 4.2 Paints & Coatings:

- Exterior Applications/Shop Applications
  - Any g/L VOC limit, if applied to the exterior of a building or applied in the shop.

Tnemec Company, Inc. certifies that Series 620 Phylon 1422 does not exceed a VOC content of **700 g/L**.

### Manufacturing Location:

- Kansas City, Missouri
- Baltimore, Maryland
- Garland, TX

### Regional Materials: MR 5.1 and 5.2

- Raw Materials: Various components from various locations.

### Recycled Content: MR 4.1 and 4.2

Series 620 Phylon 1422 is manufactured with 0% Pre-Consumer and Post-Consumer recycled content.

This information is provided as verification of compliance with the criteria set fourth for LEED NC v2.2 and v3.0 – Credit EQ 4.2 (Low-Emitting Materials). Paints and Coatings applied off-site or to the exterior of a building are not required to meet EQ Credit 4.2. As with all coating selections, compliance is required with local environmental regulations on VOC limits in the application location, i.e., (CARB, OTC, SCAQMD, etc.). **Note: Please refer to [www.tnemec.com](http://www.tnemec.com) for the most up-to-date and current VOC product information.**

Certification by: Jennifer Gleisberg - Tnemec Company, Inc.

