



## Siloxane WB Concentrate LEED Product Information

Siloxane WB Concentrate is a concentrated water repellent for concrete, GFRC, and most masonry and stucco surfaces. This product is field diluted to match substrate conditions and has a published minimum dilution ratio of 1 part product to 7 parts water.

**PROSOCO**  
SINCE 1939

### **LEED EQ Credit Conformance**

LEED NC 2.2 EQ Credit 4.2: The New Construction & Major Renovation Reference Guide Low-Emitting Materials section incorporates by reference the South Coast Air Quality Management District (SCAQMD) Rule 1113 in effect on January 1, 2004. After field dilution, Siloxane WB Concentrate is classified as a Low Solids Coating (limit 120 g/L).

PROSOCO certifies that Siloxane WB Concentrate, as prepared per label and Product Data instructions, complies with Rule 1113. PROSOCO certifies the following VOC contents at common dilutions:

Water:Concentrate	VOC Content (g/L)
7:1	41
9:1	33
14:1	22
19:1	16

### **Manufacturing Location**

Lawrence, Kansas

### **Recycled Content**

Siloxane WB Concentrate is manufactured with no post-consumer materials content.

**Date of Generation:** August 18, 2009

**Certification by:** Dwayne Fuhlhage, CHMM  
Regulatory Affairs Director



"LEED" is a trademark of the U.S. Green Building Council



PROSOCO is a proud member and supporter of NPCA's Coatings Care product stewardship initiative.