

WIRE-BOND 1-800-849-6722
400 Rountree Road
Charlotte, NC 28217

DOT EMERGENCY CHEMTEL
(800) 255-3924 (24hrs)

INFORMATION PHONE NO.
(800) 849-6722 (M-F 7 am - 4:30 pm)



SAFETY DATA SHEET

H.M.I.S.

HEALTH 0
FLAMMABILITY 1
REACTIVITY 0

These ratings should be used only as part of fully implemented H.M.I.S. program.

SECTION 1

PRODUCT INFORMATION: EXPANSION JOINT

TRADE NAME:

Closed Cell Neoprene Sponge Type NN-1

DESCRIPTION: Black, closed cell, 9± 2 lb./ft³ density, pure EPDM rubber that meets the requirements of SAE J-18 ARP2002 2A1 and ASTM D 1056-07 2A1. Excellent resistance to ozone and elevated temperatures and is manufactured with non-staining oils and anti-oxidants. Material does not incorporate a flame retardant, but meets the requirements of FVMSS-302 at 0.125" and higher.

SECTION 2

HAZARDOUS IDENTIFICATION

This product is classified as an "article" according to Title 29 of the Code of Federal Regulations, OSHA Part 1910. 1200©, page 463.

"Article" means a manufactured item other than fluid or particle: (i) which is formed to a specific shape of design during manufacture; (ii) which has an end use function(s) dependent in whole or in part upon its shape or design during end use; (iii) which under normal conditions of use does not release more than very small quantities, e.g. minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of this section), and does not pose a physical hazard or health risk to employees."

SECTION 3

HAZARDOUS INGREDIENTS/COMPOSITION INFORMATION

Chemical Identity/Common Name	C.A.S No.	%	OSHA PEL	ACGIH TVL
None				

SECTION 4

FIRST AID MEASURES

PRIMARY ROUTE(S) OF ENTRY: N/A

TARGET ORGANS: N/A

EFFECTS OF OVEREXPOSURE: SKIN

AND EYES: N/A

INHALATION: N/A

CARCINOGENICITY: NTP:

N/A

IARC MONOGRAPHS: No

OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

FIRST AID PROCEDURES: SKIN

AND EYE: N/A

INHALATION: N/A

INGESTION: N/A

SECTION 5**FIRE AND EXPLOSION HAZARD DATA**

FLASHPOINT: N/A

RANGE: LEL = N/A UEL
= N/A

EXTINGUISHING MEDIA: Water

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

SPECIAL FIRE FIGHTING PROCEDURES: Protect fire fighters from toxic products of combustion by wearing self contained breathing apparatus.

SECTION 6**ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: N/A

WASTE DISPOSAL: Dispose of container and any used contents in accordance with Federal, State, and Local Waste Disposal Regulations.

SECTION 7**HANDLING AND USE INFORMATION**

VENTILATION: N/A

RESPIRTORY PROTECTION: N/A

SKIN and EYE PROTECTION: N/A

SECTION 9**PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT (°F): N/A

VAPOR PRESSURE (mm Hg @ 20°C): N/A

VAPOR DENSITY (Air = 1): N/A **SOLUBILITY IN**

WATER: N/A

SPECIFIC GRAVITY (H2O = 1): N/A

PERCENT VOLITILE BY WEIGHT (30min @ 275°F): N/A

EVAPORATION RATE (Butyl Acetate = 1): N/A

pH: N/A

VOC: N/A

SECTION 10**STABILITY AND REACTIVITY**

STABILITY: N/A

IMCOMPATIBILITY (MATERIALS TO AVOID): N/A

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

HAZARDOUS POLYMERIZATION: N/A

SECTION 11**TOXICOLOGICAL INFORMATION**

When used and handled according to specification, the product does not have any harmful effect according to our experience and knowledge

SECTION 12**ECOLOGICAL INFORMATION**

This product is classified non-hazardous to waters

SECTION 13**DISPOSAL CONSIDERATIONS**

Dispose waste according to applicable local, state, and federal regulations

SECTION 14**TRANSPORT INFORMATION**

N/A

SECTION 15**REGULATORY INFORMATION**

N/A

SECTION 16**OTHER INFORMATION**

The information presented herein is supplied as a guide to those who handle or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.
